

Highlighting System 4.2.1

User Guide

Table of Contents

1 Changelog.....	3
2 Upgrade guide.....	7
2.1 Upgrade notes from v1.0 to v2.0.....	7
2.2 Upgrade notes from v2.0 to v3.0.x.....	7
2.3 Upgrade notes from v3.0.x to v4.x.....	7
3 Overview.....	9
3.1 Package overview.....	9
4 Integration to your project.....	10
5 Methods reference.....	11
6 Important usage tips.....	14
6.1 Common tips.....	14
6.2 Using custom transparent shaders.....	15
6.3 Dynamic Batching.....	16
6.4 Highlighting occlusion.....	18
6.5 Anti-aliasing.....	19
7 Known issues.....	20
8 Support.....	21

1 Changelog

v4.2.1

- Fixed null reference exceptions if [Highlighter](#) has disabled [GameObjects](#) in hierarchy

v4.2

- Support for multiple cameras and different camera clear flags
- Support for [LODGroup](#) component
- Improved compatibility across all platforms
- Proper culling of invisible highlighting renderers
- Implemented optional [HighlightingBlitter](#) for blitting highlighting results to the screen using different camera
- Improved and refactored highlighting system core
- Implemented ability to dynamically change constant on/off transition times (no more common constantOnSpeed/constantOffSpeed static properties - use [ConstantOn\(float time\)](#) and [ConstantOn\(Color color, float time\)](#) instead)
- Disabling [GameObjects](#) with [Highlighter](#) components or [Highlighter](#) components directly in Unity Editor properly affects highlighting (toggling them from scripts at runtime works well as before)
- Fixed null reference exceptions after re-enabling [HighlightingRenderer](#) component
- Implemented [HighlighterBlocker](#) to prevent highlighting of specific objects in hierarchy
- Optimized memory allocation in [HighlighterInternal.GrabRenderers\(\)](#) method
- Exposed [Highlighter.seeThrough](#) property. [SeeThrough\(bool state\)](#), [SeeThroughOn\(\)](#), [SeeThroughOff\(\)](#), [SeeThroughSwitch\(\)](#) methods deprecated and will be removed in the next version
- Exposed [Highlighter.occluder](#) property. [OccluderOn\(\)](#), [OccluderOff\(\)](#), [OccluderSwitch\(\)](#) methods deprecated and will be removed in the next version
- Compatibility with iOS Metal graphics API
- Fixed iOS build crash when stripping engine code is enabled in Unity 5.2.0+
- Windows Store Apps: fixed compilation error caused by inability to access C# classes from Boo and JS scripts on WSA platforms (without checking .NET Core Partially in Compilation Overrides in [PlayerSettings](#))
- Reworked all demo scripts and scenes
- Highlighter item revealer example added
- Added new demo scenes: LODGroup, Revealer, RenderTexture, ViewportRect, CustomBlitter, ClearFlags, FPSCamera1, FPSCamera2, Toggle, VR
- Changing properties of [HighlighterInteractive](#), [HighlighterConstant](#), [HighlighterFlashing](#) and other highlighter components in Inspector affects highlighting in realtime
- Other fixes and improvements

v4.1

- Implemented see-through mode for highlighting occluders (occluder in this mode won't receive any highlighting on it's area)
- [SpriteRenderers](#) highlighting is now rendered from both sides. Makes highlighting visible if used on sprites with negative scale (mirrored sprites)
- Fixed producing a lot of [RenderTexture](#) garbage (previously causing out of memory issues on mobile devices)
- Fixed highlighting materials not being destroyed on loading scenes
- Fixed disabled / invisible renderers uninitialization
- Fixed improper highlighting offset on Android and iOS devices for solid highlighting modes (when [HighlightingRenderer Downsampling](#) property set to [None](#))
- Fixed improper highlighting when emulating OpenGL ES device (Android or iOS) in Unity Editor on Windows
- Fixed improper highlighting on Xbox
- Fixed artifacts when used with bloom image effect
- Other minor fixes and improvements

v4.0

- Unity 5 compatibility
- Windows Phone 8 compatibility
- Highlighters now rendered via [CommandBuffers](#). Simplified setup and usage – only [HighlightingRenderer](#) component is required on Camera.
- Highlighters now culled on the CPU before rendering
- Ability to save custom highlighting Presets in editor (Presets shared between projects)
- Added support for ParticleRenderer (Legacy) and ParticleSystemRenderer highlighting
- Other improvements and performance optimizations

v3.0.1

- Fixed possible screen darkening when [Color Space](#) is set to [Linear](#) in [Player Settings](#)
- Improved documentation

v3.0

- In this version, highlighting occluders doesn't work with Sprites! This might be fixed in the future releases of the Highlighting System, but you shouldn't upgrade in case you heavily rely on this feature in your project
- Mobile optimizations (9 FPS vs 25 FPS on iPhone 4)
- Highlighting occlusion feature (highlighters is now occluded with scene objects without the need to add highlighting occluders to all of them). Not compatible with hardware anti-aliasing!
- Per-[Highlighter](#) see-through mode (controls when the highlighting should be always visible)
- Hardware anti-aliasing (MSAA) support (highlighting buffer is now also anti-aliased).

[RenderTexture](#) anti-aliasing support [was introduced in Unity 4.2](#))

- Support for nested highlighted objects (previously it was causing an error)
- Invisible highlighted objects culling (they will not be affected by the material replacement routine. Scenes with huge amount of highlighted objects now should work faster)
- Depth [Offset Factor](#) and [Offset Units](#) settings added to avoid visual artifacts when [Dynamic Batching](#) is enabled in [Player Settings](#)
- Real stencil buffer is now used during highlighting buffer rendering (speeds up rendering. Stencil buffer access [was introduced in Unity 4.2](#))
- Fixed lightmapped objects highlighting
- [_CameraDepthTexture](#) / [_CameraDepthNormalsTexture](#) is no longer cleared when the [camera.depthTextureMode](#) property is set to [DepthTextureMode.Depth](#) / [DepthTextureMode.DepthNormals](#)
- [RenderTexture](#) restore operations avoided in most of the cases and "Tiled GPU perf. warning" is suppressed in all other cases. Uncomment [DEBUG_ENABLED](#) define in [HighlightingBase.cs](#) script to see when this happens
- Null reference exceptions now prevented in case highlighted [GameObject](#) or [Renderer](#) was removed, but [ReinitMaterials\(\)](#) wasn't called
- Fixed one empty pixel border around highlighted objects on a devices without support for NPOT (non power of two) textures
- Fixed one texel vertical offset in Direct3D 9
- Coroutines, used in [HighlightableObject](#) ([Highlighter](#)) were replaced with simple frame number comparison
- Combined highlighting shaders. Fixed function states (ZWrite, ZTest, etc.) is now driven by the material parameters (feature [was introduced in Unity 4.3](#))
- Events/delegates used to control [HighlightableObject](#)'s ([Highlighter](#)'s) state from [HighlightingEffect](#)'s ([HighlightingRenderer](#) / [HighlightingMobile](#)) were replaced with [Highlighter](#) components management
- Added [HighlightingSystem](#) namespace (to avoid potential name conflicts)

v2.0

- Linear blending of the highlighting and frame buffers (gives correct highlighting colors)
- All shaders are now compatible with the Highlighting System out of the box (no need to adapt each custom shader anymore)
- Batching and shared materials support
- Correct highlighting of transparent materials
- Highlighting occluders
- Handy highlighting effect quality and intensity controls with Presets
- Effect inspector helpers (will help you correctly setup Highlighting System in your project)
- Bug fixes, shaders optimizations and other performance improvements

v1.1

- Improved folder structure (highlighting scripts moved to [Plugins](#) folder). Now it's possible to use Highlighting System from JavaScript and Boo (see [JSHighlightingController.js](#) and [BooHighlightingController.boo](#))
- Fix: Highlighting System now highlights only [MeshRenderer](#), [SkinnedMeshRenderer](#) and [ClothRenderer](#) components, because you probably don't want to see highlighted meshes created by [ParticleRenderer](#), [ParticleSystemRenderer](#), [LineRenderer](#) and [TrailRenderer](#) components
- Fix: Now you can use highlighting with Hardware Anti-Aliasing without having highlights flipped, but Hardware AA smooths only framebuffer – outline glow will remain aliased as it uses additional render buffers, so i recommend you to continue using [AntialiasingAsPostEffect.js](#) for this
- Fix: [Camera Clear Flags = Don't Clear](#) doesn't cause flipping anymore
- Fix: Non-standard Camera normalized viewport rects now work correctly
- Fix: Highlighting doesn't affect alpha channel of framebuffer now

v1.0

- Initial release

2 Upgrade guide

2.1 Upgrade notes from v1.0 to v2.0

When upgrading Highlighting System in your projects, to not lose all [HighlightableObject](#) and [HighlightingEffect](#) components references, please do the following:

1. Remove [Highlighting.Init\(\)](#) calls from your code – this is not needed anymore.
2. Remove [Highlighting.cs](#) script from the [Plugins\HighlightingSystem\Scripts](#) folder.
3. Remove everything from your [Plugins\HighlightingSystem\Resources](#) folder (don't worry – you don't have to adapt your custom shaders anymore).
4. Import upgraded package from the Unity Asset Store. In the [Importing package](#) window click on [All](#), then [Import](#).
5. Choose one of the highlighting Preset on each [HighlightingEffect](#) component by clicking on its button, or setup highlighting intensity and quality parameters by hand.
6. May be you'll need to tune up highlighting colors, because now Highlighting System displays actual highlighting colors given to the highlighting methods.

2.2 Upgrade notes from v2.0 to v3.0.x

1. Namespace [HighlightingSystem](#) has been added to avoid potential name conflicts with your own code. Add these directives to your scripts if they are referenced to any of the Highlighting System classes (you can find an example in [HighlightingSystemDemo\Scripts\Basic](#) folder):
 - for C# scripts: [using HighlightingSystem;](#)
 - for UnityScript (JavaScript) scripts: [import HighlightingSystem;](#)
 - for Boo scripts: [import HighlightingSystem](#)
2. [HighlightableObject](#) was renamed to [Highlighter](#).
3. [HighlightingEffect](#) component has been split into two versions:
 - [HighlightingRenderer](#) + [HighlightingBlitter](#) (to be used mainly for desktop applications and in combination with other Image Effects, where precise control over the point at which highlighting buffer will be applied to the generated frame is required. See [Integration to your project](#) section for more info)
 - [HighlightingMobile](#) (optimized version for mobile devices)
4. Refer to the [highlighting occlusion](#) section of this document to consider completely removing manually added highlighting occluders from your project.

2.3 Upgrade notes from v3.0.x to v4.x

1. [HighlightingMobile](#) and [HighlightingBlitter](#) components have been removed. Use

only *HighlightingRenderer* instead. It is no longer necessary to keep *HighlightingRenderer* as a first Image Effect on Camera - order of this component (among other Image Effects) defines the point at which highlighting will be applied to the screen (this replaces removed *HighlightingBlitter* component functionality).

3 Overview

Highlighting System package allows you to easily integrate outline glow effect for objects highlighting in your Unity project. It allows you to make any object highlightable. This system works on all major platforms, where post-processing effects are supported.

3.1 Package overview

After package installation, inside of the [Plugins\HighlightingSystem](#) folder will be located all the scripts and shaders required for the Highlighting System to work. There's also a bunch of Editor scripts can be found in [Plugins\Editor](#) folder, intended to simplify the workflow with the Highlighting System components.

Inside of the [HighlightingSystemDemo](#) folder in your project, you will find demonstration scene files. Use them as a reference when you'll be integrating Highlighting System in your project. Feel free to remove this folder at any time.

4 Integration to your project

1. Import Highlighting System package from the Unity Asset Store to your project.
2. Add [HighlightingRenderer](#) component to the Camera. Order of this component (among other Image Effects applied to the Camera) defines the point at which highlighting buffer will be applied to the rendered frame.
3. Add [Highlighter](#) component to the objects you want to make highlightable or do that at runtime using [gameObject.AddComponent<Highlighter>\(\)](#) method (see the [HighlightingSystemDemo\Scenes\06 Scripting](#) demo scene).
4. At runtime, call any [highlighting methods](#) on the [Highlighter](#) components.
5. Refer to the [Dynamic Batching](#) section of this documentation to properly setup [Depth Offset Factor](#) and [Depth Offset Units](#) properties of the highlighting renderer component. Optionally - set custom values for intensity and quality settings, or select any Preset from the Preset drop-down list.

5 Methods reference

Four different highlighting modes available (sorted in priority order):

1. Once

Useful for highlighting objects under the mouse cursor.

2. Flashing

Useful to pay attention on some object (game tutorial item for example).

3. Constantly

Used to turn on/off constant highlighting on an object (for example, to highlight pickable items or selected objects).

4. Occluder

Object in this mode will become highlighting occluder. Actually, this is not a highlighting mode, but it will take effect only in case all other highlighting modes disabled.

In case multiple highlighting modes were enabled on the highlighter - mode with higher priority will be used.

Use following properties and methods of the *Highlighter* components to control highlighting on a specific object:

- *bool seeThrough*
Controls see-through mode for highlighters or occluders. When set to true - highlighter in this mode will not be occluded by anything (except for see-through occluders). Occluder in this mode will overlap any highlighting.
- *bool occluder*
Controls occluder mode. Note that non-see-through highlighting occluders will be enabled only in case native frame depth buffer is not available.
- *ReinitMaterials()*
Object renderers and materials reinitialization. Call this method before or after your highlightable object has changed (added and/or removed) their child objects or changed any of its materials and/or shaders (for example, when your game character has changed it's weapon gameObject). Feel free to call this method multiple times in a single update - reinitialization will occur only once at the rendering stage.
- *OnParams(Color color)*
Set color for one-frame highlighting mode.


- *On()*
Turn on highlighting only in current frame.
- *On(Color color)*
Turn on highlighting only in current frame using specified color.
- *FlashingParams(Color color1, Color color2, float freq)*
Set flashing mode parameters – colors and frequency.
- *FlashingOn()*
Turn on flashing.
- *FlashingOn(Color color1, Color color2)*
Turn on flashing from given color1 to color2.
- *FlashingOn(Color color1, Color color2, float freq)*
Turn on flashing from given color1 to color2 with specified frequency.
- *FlashingOn(float f)*
Turn on flashing with specified frequency.
- *FlashingOff()*
Turn off flashing.
- *FlashingSwitch()*
Switch flashing mode.
- *ConstantParams(Color color)*
Set constant highlighting color.
- *ConstantOn(float time)*
Fade in constant highlighting using specified transition duration.
- *ConstantOn(Color color, float time)*
Fade in constant highlighting using specified color and transition duration.
- *ConstantOff(float time)*
Fade out constant highlighting using specified transition duration.
- *ConstantSwitch(float time)*
Switch constant highlighting using specified transition duration.

- [*ConstantOnImmediate\(\)*](#)
Turn on constant highlighting immediately (without fading in).
- [*ConstantOnImmediate\(Color color\)*](#)
Turn on constant highlighting with given color immediately (without fading in).
- [*ConstantOffImmediate\(\)*](#)
Turn off constant highlighting immediately (without fading out).
- [*ConstantSwitchImmediate\(\)*](#)
Switch constant highlighting immediately (without fading in/out).
- [*Off\(\)*](#)
Turn off all highlighting modes.
- [*Die\(\)*](#)
Destroy the [*Highlighter*](#) component. Call this when you done using highlighting on this object (for example, in case of highlightable enemy character has entered dying sequence).

6 Important usage tips

6.1 Common tips

- On mobile platforms, don't forget to set the [Use 32-bit Display Buffer](#) checkbox under the [Resolution and Presentation](#) section of the Unity's [Player Settings](#).



- When configuring your [HighlightingRenderer](#) component - increasing blur iterations will help you to improve outline glow quality, but try to keep this value as low as possible in terms of performance optimization.
- Keep in mind that all renderers for non-see-through occluders (and see-through occluders when hardware anti-aliasing is enabled) are rendered in additional pass as well as any other highlighted objects, so it's better to keep their amount as low as possible (i.e. don't just assign the highlighting occluder on the root gameObject of your scene geometry)
- Any renderer component derived from Unity built-in [Renderer](#) class can be highlighted. By default - highlighting of these renderers is enabled: [MeshRenderer](#), [SkinnedMeshRenderer](#), [SpriteRenderer](#), [ParticleRenderer](#), [ParticleSystemRenderer](#). Feel free to tune [types](#) list in the [Highlighter.cs](#) script as necessary.

6.2 Using custom transparent shaders

In case you'd like to make your custom transparent shaders properly highlightable:

1. Make sure that *RenderType* shader tag is set to *TransparentCutout* or *Transparent* (check [this](#) for more info). Otherwise – such shader will be interpreted by the Highlighting System as an opaque shader, and alpha channel of your material's main texture will not be taken into account.
2. Make sure that your custom shader has the *_MainTex* property. Highlighting System will use texture assigned to this property to detect transparent areas by comparing texture alpha channel with the threshold value, taken from:
 - the *_Cutoff* property if your custom shader has it, or
 - the *Highlighter*'s internal *transparentCutoff* variable otherwise (set to 0.5 by default. You can change this value in the *HighlighterRenderer.cs* script).


Note that the main texture with its offset and scale values is cached by the Highlighting System only on highlighter's initialization, which takes place after instantiating *Highlighter* component and after each call to *ReinitMaterials()*. Because of that, your changes to the main texture parameters will not be reflected by the highlighting without the call to *ReinitMaterials()* method.

6.3 Dynamic Batching



In case *Dynamic Batching* is disabled in *Player Settings* - always set *Depth Offset Factor* and *Depth Offset Units* parameters to 0 to avoid rendering artifacts!

Highlighting System supports *Dynamic Batching*, but in some cases when different sets of rendered objects being batched – depth comparison imprecision can take place, what will lead to an artifact, called 'z-fighting':



You have at least three options to eliminate this:

1. Force disable batching on such objects by duplicating and assigning different instances of the same material to them (recommended).
2. Disable *Dynamic Batching* in *Player Settings*. There's nothing bad in this option, due to a bunch of significant *criteria*s which should be fulfilled for objects, before *Dynamic Batching* will be applicable on them, and the performance gain from this technique will not be noticeable in most of the cases. As an argument to use this option can also be the fact, that Unity's *camera.RenderWithReplacementShaders()* method (widely used by other Image Effects) doesn't supports *Dynamic Batching* at all. Don't forget to set *Depth Offset Factor* and *Depth Offset Units* parameters to 0 after disabling *Dynamic Batching*.
3. Tune *Depth Offset Factor* and *Depth Offset Units* parameters on the *HighlightingRenderer* component to offset depths of the highlighted objects when rendering them to the highlighting buffer. This will set *Offset Factor, Units* for all highlighting shaders simultaneously. This is the least recommended option because shader depth offset feature (*glPolygonOffset, Depth Bias*) is implementation-dependent (depends on hardware and graphics API used), so the same settings will not work equally on all devices. Also, using depth offset leads to another visual artifact, that you may notice when highlighted object intersects another object:




However, if your intersecting highlighted objects doesn't differ much in contrast, and you have the ability to test and tune *Depth Offset Factor* and *Depth Offset Units* parameters for most of your target platforms – this can turn into a good option.

6.4 Highlighting occlusion

In case native frame depth buffer is available – it will be used to occlude highlighting for objects with disabled see-through mode. Otherwise, (mostly when [hardware anti-aliasing](#) is enabled) non-see-through highlighting occluders ([Highlighters](#) with [occluder](#) property set to [true](#) and [seeThrough](#) property set to [false](#)) will be enabled to replace highlighting occlusion functionality.

Highlighting System will log notification about this to the [Console](#):



So if you never use hardware anti-aliasing in your project or a specific camera setups with [clearFlags](#) set to [Depth](#) or [Nothing](#) in [Forward](#) or [VertexLit](#) rendering paths – you shouldn't manually add non-see-through highlighting occluders to any of your scenes – scene depth buffer will be always used to occlude highlighting.

But if in doubt – just add them to make sure that your project will look equally even when hardware anti-aliasing will be enabled.

6.5 Anti-aliasing

Hardware anti-aliasing (or MSAA, Multisample Anti-Aliasing) is enabled in Unity if [Anti Aliasing](#) property is not set to [Disabled](#) in [Edit > Project Settings > Quality](#) settings. Note that there are multiple quality levels with their own anti-aliasing settings.

Hardware anti-aliasing has two significant drawbacks:

- It is not compatible with [Legacy Deferred Lighting](#) and [Deferred Shading](#) rendering paths
- It is not compatible with [HDR](#) rendering
- When it is turned on – depth buffer rendered directly to the backbuffer and is not accessible for Image Effects. That said – it is not compatible with [highlighting occlusion](#) feature

Because of these limitations – it is recommended not to use hardware anti-aliasing and replace it with [Antialiasing](#) Image Effect instead from the Unity's [Standard Assets](#) package when you want to achieve anti-aliased image as a result.

7 Known issues

v4.2

- Unity Editor may [hang or crash](#) on high-resolution displays (such as Retina® displays used in MacBook®) when hardware anti-aliasing is enabled. Hardware anti-aliasing option (enabled by default in Quality Settings for the new Unity projects) basically acts like a multiplier for your game view screen resolution, so in case you experience this issue – you are probably running out of video memory. To fix this - either disable hardware anti-aliasing in [Quality Settings](#) or reduce your game view screen resolution using [Aspect Drop-down](#).
- Highlighting doesn't work properly on iOS platform if hardware anti-aliasing is enabled. There is a very low chance that someone needs this considering the device screen DPI and performance drop that comes from enabling this option on a mobile device.
- Native depth buffer is not accessible in case [HighlightingRenderer](#) is used on camera with [clearFlags](#) set to [Depth](#) or [Nothing](#) in [Forward](#) or [VertexLit](#) rendering paths, so to occlude highlighting in this case you should use [highlighting occluders](#) (Highlighters with [occluder](#) property set to [true](#)).

v4.1

Highlighting doesn't work properly on iOS devices when Metal graphics API is enabled (you can find the list of Metal compatible devices [here](#)).

To make sure that highlighting will look equally on all iOS devices - please go to the [Player Settings > Other Settings > Rendering](#), disable [Automatic Graphics API](#) here and move [OpenGL ES2](#) and/or [OpenGL ES3](#) above [Metal](#). Metal graphics API compatibility will be added In the future versions of the Highlighting System.

v3.0.x

When switching hardware anti-aliasing modes or rendering paths with enabled hardware anti-aliasing in Unity Editor on Mac OS X – several issues may appear:

- Highlighting System may stop working
- highlighting buffer or one of the previously rendered frames may stuck on screen
- Unity Editor may crash

It seems like this happens because Unity Editor does not really switches anti-aliasing internally for the framebuffer and [RenderTextures](#). To force-update this – you can maximize/minimize [Game](#) window.

Such issues have never been spotted on built projects – only in Unity Editor on Mac OS X.

8 Support

Here you can find Highlighting System development board which you can use to check if a specific bug fix or a feature is already in development:

<https://trello.com/b/GmwO3VNJ/highlighting-system>

Please feel free to send your bug reports, feedback, suggestions, questions or feature requests to:

support@deepdreamgames.com

Highlighting System are Copyright © 2016 Deep Dream Games.

Unity, Unity Asset Store are Copyright © 2016 Unity Technologies.

Xbox is a registered trademark of Microsoft Corporation.

MacBook, iOS, Retina are trademarks of Apple Inc., registered in the U.S. and other countries.